

## TERMS

<b>ENGLISH</b>	<b>MALAY</b>
Algorithm	<i>Algoritma</i>
Argument	<i>Argumen</i>
Arithmetic operation	<i>Operasi aritmetik</i>
Array	<i>Tatasusunan</i>
Assembly stage	<i>Peringkat penghimpun</i>
Assign	<i>Umpuk</i>
Backup	<i>Bakup</i>
Boot	<i>But atau memulakan</i>
Buffer	<i>Penimbal</i>
Character	<i>Aksara</i>
Code segment	<i>Segmen aturcara</i>
Column	<i>Lajur</i>
Command	<i>Arahan</i>
Compile	<i>Kompil</i>
Constant	<i>Pemalar</i>
Control structure	<i>Struktur kawalan</i>
Copy	<i>Salin</i>
Current directory	<i>Direktori semasa</i>
Cursor	<i>Kursor</i>
Cut	<i>Potong</i>
Decision	<i>Keputusan</i>
Declare	<i>Isytihar</i>
Decrement	<i>Susutan</i>
Define	<i>Takrif</i>
Demonstrate	<i>Menunjuk cara</i>
Device	<i>Peranti</i>
Directory	<i>Direktori</i>
Directory tree	<i>Pepohon direktori</i>
Disk	<i>Cakera</i>
Distance	<i>Jarak</i>
Download	<i>Muat turun</i>
Drive C	<i>Pemacu C</i>
Editor	<i>Penyunting</i>
Error	<i>Ralat</i>
Executable file	<i>Fail boleh-laksana</i>
Expression	<i>Ungkapan</i>
Extension	<i>Sambungan</i>
Field	<i>Medan</i>

File	<i>Fail</i>
File operation	<i>Operasi fail</i>
File stream object	<i>Objek aliran fail</i>
File system path	<i>Laluan fail sistem</i>
Floppy drive	<i>Pemacu liut</i>
Flowchart	<i>Carta alir</i>
Folder	<i>Direktori</i>
Function	<i>Fungsi</i>
Function prototype	<i>Prototaip fungsi</i>
Global variable	<i>Pembolehubah sejagat</i>
Hardware	<i>Perkakasan</i>
Increment	<i>Tokokan</i>
Index	<i>Indeks</i>
Inline function	<i>Fungsi dalam baris</i>
Invalid	<i>Tidak sah</i>
Keyboard	<i>Papan kekunci</i>
Load	<i>Muat</i>
Local variable	<i>Pembolehubah setempat</i>
Logic error	<i>Ralat logik</i>
Loop	<i>Gelung</i>
Main function	<i>Fungsi utama</i>
Memory layout	<i>Hampan ingatan</i>
Menu bar	<i>Bar menu</i>
Multiple	<i>Berbilang</i>
Nested	<i>Tersarang</i>
Nested loop	<i>Gelung tersarang</i>
One dimensional array	<i>Tatasusunan satu dimensi</i>
Open source	<i>Sumber terbuka</i>
Operand	<i>Operan</i>
Operating system	<i>Sistem pengoperasian</i>
Overloaded function	<i>Fungsi sarat</i>
Parameter	<i>Parameter</i>
Pass by reference	<i>Hantar secara rujukan</i>
Pass by value	<i>Hantar secara nilai</i>
Paste	<i>Tampal</i>
Pen drive	<i>Pemacu pen</i>
Personal Computer (PC)	<i>Komputer peribadi</i>
Pointer	<i>Penuding</i>
Predefined function	<i>Fungsi takrifan piawai</i>
Pre-processor	<i>Prapemproses</i>
Program	<i>Aturcara</i>
Program header	<i>Kepala aturcara</i>
Program segment	<i>Segmen aturcara</i>
Prompt	<i>Penggesa</i>
Pseudo code	<i>Kod sudo</i>

Random Access Memory (RAM)	<i>Ingatan capaian rawak</i>
Read	<i>Baca</i>
Read Only Memory (ROM)	<i>Ingatan baca sahaja</i>
Repetition	<i>Pengulangan</i>
Return	<i>Memulangkan</i>
Row	<i>Baris</i>
Run	<i>Laksanakan</i>
Runtime error	<i>Ralat masa larian</i>
Save	<i>Simpan</i>
Search text	<i>Carian teks</i>
Selection	<i>Pilihan</i>
Semantic	<i>Semantik</i>
Shortcuts	<i>Capaian ringkas</i>
Software	<i>Perisian</i>
Statement	<i>Pernyataan</i>
Stream	<i>Aliran</i>
String	<i>Rentetan</i>
Structured chart	<i>Carta berstruktur</i>
Structured data	<i>Data berstruktur</i>
Subscript	<i>Subskrip</i>
Syntax	<i>Sintaksis</i>
Syntax error	<i>Ralat sintaks</i>
Text file	<i>Fail teks</i>
Trace	<i>Jejak</i>
Two-dimensional array	<i>Tatasusunan dua dimensi</i>
Upload	<i>Muat naik</i>
User defined function	<i>Fungsi takrifan pengguna</i>
Valid	<i>Sah</i>
Variable	<i>Pembolehubah</i>
Velocity	<i>Halaju</i>
Write	<i>Tulis</i>